














# FLOORPLAN NOTES

## GENERAL SPECIFICATIONS

- ALL ANGLED WALLS (OTHER THAN THOSE AT 90°) SHALL BE CONSIDERED TO BE AT 45° UNLESS NOTED OTHERWISE.
- ALL STUDS AT EXTERIOR AND INTERIOR WALLS SHALL BE 2x4 UNLESS OTHERWISE NOTED.
- ALL STUDS AT EXTERIOR WALLS AND INTERIOR BEARING WALLS TO BE FRAMED AT 16" O.C. UNLESS NOTED OTHERWISE.
- ALL NON-BEARING WALLS, OTHER THAN IN THE KITCHEN AND PLANNING CENTERS, TO BE 2x4 STUDS AT 24" O.C. UNLESS OTHERWISE NOTED OR RESTRICTED BY LOCAL CODES OR ORDINANCES. KITCHEN AND PLANNING CENTER WALLS WHERE WALL CABINETS ARE TO BE HUNG SHALL BE FRAMED AT 16" O.C.
- PROVIDE DOUBLE 2x TOP PLATES AT ALL LOAD BEARING WALLS.
- PROVIDE SINGLE TOP PLATE AT ALL INTERIOR NON-LOADING BEARING WALLS.
- PROVIDE A 1-3/8" OR LARGER SOLID CORE WOOD DOOR, SOLID CORE STEEL DOOR OR HONEYCOMB CORE STEEL DOOR, OR 20 MINUTE FIRE-RATED DOOR EQUIPPED WITH A SELF-CLOSING DEVICE BETWEEN GARAGE AND LIVING SPACE IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- PROVIDE FIRE SEPARATION BETWEEN DWELLING AND GARAGE IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- PROVIDE 1/2" DRYWALL AT WALLS, CEILING AND UNDERSIDE OF STAIR ASSEMBLY ACCESSIBLE SPACE UNDER STAIRS IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- ALL GLAZING INSTALLED IN HAZARDOUS LOCATIONS AS DEFINED BY THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE SHALL HAVE A PERMANENT DESIGNATION OR LABEL AFFIXED TO EACH PANE OF GLAZING BEARING THE MANUFACTURER'S LABEL SHOWING THE TYPE AND THICKNESS OF GLASS. FOR OTHER THAN TEMPERED GLASS, LABELS MAY BE OMITTED PROVIDED THE BUILDING OFFICIAL APPROVES THE USE OF A CERTIFICATE, AFFIDAVIT OR OTHER EVIDENCE CONFIRMING COMPLIANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- ALL BATHTUB AND SHOWER FLOORS AND WALLS ABOVE BATHTUBS WITH INSTALLED SHOWER HEADS AND IN SHOWER COMPARTMENTS SHALL BE FINISHED WITH A NON-ABSORBENT SURFACE. SUCH WALL SURFACES SHALL EXTEND TO A HEIGHT NOT LESS THAN 72" ABOVE THE FLOOR PER THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- PROVIDE THERMO-PLY SHEATHING AND BATT INSULATION FILLING ALL CAVITIES AT EXTERIOR WALLS SURROUNDING TUBS AND SHOWERS.
- ALL REQUIRED GUARDRAILS AND GUARDWALLS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES. GUARDS SHALL NOT BE LESS THAN 36" HIGH MEASURED VERTICALLY ABOVE THE ADJACENT WALKING SURFACE AND NOT LESS THAN 34" HIGH MEASURED VERTICALLY FROM THE SLOPED PLANE THAT ADJOINS THE TREAD NOSINGS.
- ALL REQUIRED HANDRAILS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES. HANDRAILS SHALL BE PROVIDED ON AT LEAST ONE SIDE OF EACH CONTINUOUS RUN OF TREADS OR FLIGHT WITH 4 OR MORE RISERS. HANDRAIL HEIGHT SHALL NOT BE LESS THAN 34" OR MORE THAN 38" AS MEASURED VERTICALLY FROM THE SLOPED PLANE THAT ADJOINS THE TREAD NOSINGS AND SHALL BE CONTINUOUS FOR THE FULL LENGTH OF THE FLIGHT. HANDRAILS ADJACENT TO A WALL SHALL HAVE A SPACE NOT LESS THAN 1-1/2" BETWEEN THE WALL AND THE HANDRAIL.
- BASEMENTS, HABITABLE ATTICS AND EVERY SLEEPING ROOM MUST HAVE AT LEAST ONE EMERGENCY ESCAPE OR RESCUE OPENING IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES. WHERE THE BASEMENT CONTAINS 1 OR MORE SLEEPING ROOMS, EMERGENCY ESCAPE OR RESCUE OPENINGS SHALL BE REQUIRED IN EACH SLEEPING ROOM. THE EMERGENCY ESCAPE OR RESCUE OPENING SHALL HAVE A CLEAR 5.7 SQUARE FEET OF OPEN AREA WITH A SILL HEIGHT OF NO MORE THAN 44" ABOVE THE FLOOR OR 5.0 SQUARE FEET OF OPEN AREA FOR GRADE-LEVEL WINDOWS. THE CLEAR OPENING SHALL A MINIMUM OF 24" OF OPENING HEIGHT AND 20" OPENING WIDTH. EMERGENCY ESCAPE AND RESCUE OPENINGS WITH A FINISHED SILL HEIGHT BELOW THE ADJACENT GROUND LEVEL ELEVATION SHALL BE PROVIDED WITH A WINDOW WELL AND LADDER IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES.
- FOR ADDITIONAL INFORMATION SEE STRUCTURAL DRAWINGS AND NOTES.



**SECOND FLOOR PLAN - 4" EXTERIOR WALLS**  
SCALE: 1/4" = 1'-0"

PLOTTED: September 30, 2014 / Mike Lee (Illinois) / 1957-PARK PLACE-CZ-BASE-PLANNING

Copyright Pulte Home Corporation - 2014

**Pulte Central Zone**  
1901 North Roselle Road, Suite 1000  
Schaumburg, Illinois 60195



**Second Floor Plan**  
**4" Exterior Walls**

PRODUCTION MANAGER  
Andy Kuntz  
INITIAL RELEASE DATE:  
09/30/2014  
CURRENT RELEASE DATE:  
09/30/2014

REV #	DATE	DESCRIPTION

GARAGE HANDING  
**LEFT**


PLAN NAME  
**PARK PLACE**  
NPC PLAN NUMBER  
**1957**  
LAWSON PLAN ID

SHEET  
**A1**  
**4-2.1**


# FLOORPLAN NOTES

## GENERAL SPECIFICATIONS


- ALL ANGLED WALLS (OTHER THAN THOSE AT 90°) SHALL BE CONSIDERED TO BE AT 45° UNLESS NOTED OTHERWISE
- ALL STUDS AT EXTERIOR AND INTERIOR WALLS SHALL BE 2x4 UNLESS OTHERWISE NOTED
- ALL STUDS AT EXTERIOR WALLS AND INTERIOR BEARING WALLS TO BE FRAMED AT 16" O.C. UNLESS NOTED OTHERWISE
- ALL NON-BEARING WALLS, OTHER THAN IN THE KITCHEN AND PLANNING CENTERS, TO BE 2x4 STUDS AT 24" O.C. UNLESS OTHERWISE NOTED OR RESTRICTED BY LOCAL CODES OR ORDINANCES. KITCHEN AND PLANNING CENTER WALLS WHERE WALL CABINETS ARE TO BE HUNG SHALL BE FRAMED AT 16" O.C.
- PROVIDE DOUBLE 2x TOP PLATES AT ALL LOAD BEARING WALLS.
- PROVIDE SINGLE TOP PLATE AT ALL INTERIOR NON-LOADING BEARING WALLS.
- PROVIDE A 1-3/8" OR LARGER SOLID CORE WOOD DOOR, SOLID CORE STEEL DOOR OR HONEYCOMB CORE STEEL DOOR, OR 20 MINUTE FIRE-RATED DOOR EQUIPPED WITH A SELF-CLOSING DEVICE BETWEEN GARAGE AND LIVING SPACE IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- PROVIDE FIRE SEPARATION BETWEEN DWELLING AND GARAGE IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- PROVIDE 1/2" DRYWALL AT WALLS, CEILING AND UNDERSIDE OF STAIR ASSEMBLY ACCESSIBLE SPACE UNDER STAIRS IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- ALL GLAZING INSTALLED IN HAZARDOUS LOCATIONS AS DEFINED BY THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE SHALL HAVE A PERMANENT DESIGNATION OR LABEL AFFIXED TO EACH PANE OF GLAZING BEARING THE MANUFACTURER'S LABEL SHOWING THE TYPE AND THICKNESS OF GLASS. FOR OTHER THAN TEMPERED GLASS, LABELS MAY BE OMITTED PROVIDED THE BUILDING OFFICIAL APPROVES THE USE OF A CERTIFICATE, AFFIDAVIT OR OTHER EVIDENCE CONFIRMING COMPLIANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- ALL BATHTUB AND SHOWER FLOORS AND WALLS ABOVE BATHTUBS WITH INSTALLED SHOWER HEADS AND IN SHOWER COMPARTMENTS SHALL BE FINISHED WITH A NON-ABSORBENT SURFACE. SUCH WALL SURFACES SHALL EXTEND TO A HEIGHT NOT LESS THAN 72" ABOVE THE FLOOR PER THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODE.
- PROVIDE THERMO-PLY SHEATHING AND BATT INSULATION FILLING ALL CAVITIES AT EXTERIOR WALLS SURROUNDING TUBS AND SHOWERS.
- ALL REQUIRED GUARDRAILS AND GUARDWALLS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES. GUARDS SHALL NOT BE LESS THAN 36" HIGH MEASURED VERTICALLY ABOVE THE ADJACENT WALKING SURFACE AND NOT LESS THAN 34" HIGH MEASURED VERTICALLY FROM THE SLOPED PLANE THAT ADJOINS THE TREAD NOSINGS.
- ALL REQUIRED HANDRAILS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES. HANDRAILS SHALL BE PROVIDED ON AT LEAST ONE SIDE OF EACH CONTINUOUS RUN OF TREADS OR FLIGHT WITH 4 OR MORE RISERS. HANDRAIL HEIGHT SHALL NOT BE LESS THAN 34" OR MORE THAN 38" AS MEASURED VERTICALLY FROM THE SLOPED PLANE THAT ADJOINS THE TREAD NOSINGS AND SHALL BE CONTINUOUS FOR THE FULL LENGTH OF THE FLIGHT. HANDRAILS ADJACENT TO A WALL SHALL HAVE A SPACE NOT LESS THAN 1-1/2" BETWEEN THE WALL AND THE HANDRAIL.
- BASEMENTS, HABITABLE ATTICS AND EVERY SLEEPING ROOM MUST HAVE AT LEAST ONE EMERGENCY ESCAPE OR RESCUE OPENING IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES. WHERE THE BASEMENT CONTAINS 1 OR MORE SLEEPING ROOMS, EMERGENCY ESCAPE OR RESCUE OPENINGS SHALL BE REQUIRED IN EACH SLEEPING ROOM. THE EMERGENCY ESCAPE OR RESCUE OPENING SHALL HAVE A CLEAR 5.7 SQUARE FEET OF OPEN AREA WITH A SILL HEIGHT OF NO MORE THAN 44" ABOVE THE FLOOR OR 5.0 SQUARE FEET OF OPEN AREA FOR GRADE-LEVEL WINDOWS. THE CLEAR OPENING SHALL A MINIMUM OF 24" OF OPENING HEIGHT AND 20" OPENING WIDTH. EMERGENCY ESCAPE AND RESCUE OPENINGS WITH A FINISHED SILL HEIGHT BELOW THE ADJACENT GROUND LEVEL ELEVATION SHALL BE PROVIDED WITH A WINDOW WELL AND LADDER IN ACCORDANCE WITH THE CURRENTLY ADOPTED EDITION OF THE IRC OR APPLICABLE LOCAL CODES.
- FOR ADDITIONAL INFORMATION SEE STRUCTURAL DRAWINGS AND NOTES




**OWNER'S BATH 1 OPTION**  
SCALE: 1/4" = 1'-0"  
\* SEE BASE PLANS FOR INFORMATION NOT SHOWN




**OWNER'S BATH 2 OPTION**  
SCALE: 1/4" = 1'-0"  
\* SEE BASE PLANS FOR INFORMATION NOT SHOWN




**OWNER'S BATH 3 OPTION**  
SCALE: 1/4" = 1'-0"  
\* SEE BASE PLANS FOR INFORMATION NOT SHOWN




**OWNER'S BATH 4 OPTION**  
SCALE: 1/4" = 1'-0"  
\* SEE BASE PLANS FOR INFORMATION NOT SHOWN




**OWNER'S BATH 5 OPTION**  
SCALE: 1/4" = 1'-0"  
\* SEE BASE PLANS FOR INFORMATION NOT SHOWN




**BEDROOM 5 w/ BATH 3 OPTION**  
SCALE: 1/4" = 1'-0"  
\* SEE BASE PLANS FOR INFORMATION NOT SHOWN



**BATH 3 w/ SHOWER OPTION**  
SCALE: 1/4" = 1'-0"  
\* SEE BASE PLANS FOR INFORMATION NOT SHOWN



**BATH 2 w/ SHOWER OPTION**  
SCALE: 1/4" = 1'-0"  
\* SEE BASE PLANS FOR INFORMATION NOT SHOWN



**OWNER'S BATH 5 OPTION ELEVATION**  
SCALE: 1/4" = 1'-0"  
\* SEE BASE PLANS FOR INFORMATION NOT SHOWN



**STORAGE w/ BASEMENT OPTION**  
SCALE: 1/4" = 1'-0"  
\* SEE BASE PLANS FOR INFORMATION NOT SHOWN

(c) Copyright Pulte Home Corporation - 2014

**Pulte Central Zone**  
1901 North Roselle Road, Suite 1000  
Schaumburg, Illinois 60195



**Second Floor Plan**  
**Options**  
**4" Exterior Walls**

PRODUCTION MANAGER  
Andy Kuntz  
INITIAL RELEASE DATE:  
09/30/2014  
CURRENT RELEASE DATE:  
09/30/2014

REV #	DATE	DESCRIPTION
△		
△		
△		
△		
△		
△		
△		
△		
△		
△		
△		


GARAGE HANDING  
**LEFT**

PLAN NAME  
**PARK PLACE**  
NPC PLAN NUMBER  
**1957**  
LAWSON PLAN ID  
--


SHEET  
**A1**  
**4-2.2**

PLOTTED: September 30, 2014 / Mike Lee (Illinois) / 1957-PARK PLACE-CZ-BASE-PLANNING

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS



**1 BASEMENT BUILDING SECTION 1**  
SCALE: 1/4" = 1'-0"




**2 BASEMENT BUILDING SECTION 2**  
SCALE: 1/4" = 1'-0"



**Building Sections 1 and 2**  
**Basement Foundation**

PRODUCTION MANAGER Andy Kunz	
INITIAL RELEASE DATE: 09/30/2014	
CURRENT RELEASE DATE: 09/30/2014	
REV #	DATE / DESCRIPTION
△	
△	
△	
△	
△	
△	
△	
△	
△	
GARAGE HANDING <b>LEFT</b>	
PLAN NAME <b>PARK PLACE</b>	
NPC PLAN NUMBER <b>1957</b>	
LAWSON PLAN ID <b>-</b>	
SHEET	
A2	
B.1	

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS



**3 BASEMENT BUILDING SECTION 3**  
 SCALE: 1/4" = 1'-0"

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS

PRODUCTION MANAGER	Andy Kunz
INITIAL RELEASE DATE:	09/30/2014
CURRENT RELEASE DATE:	09/30/2014


REV #	DATE	DESCRIPTION
△		
△		
△		
△		
△		
△		
△		
△		
△		
△		

GARAGE HANDING  
**LEFT**

PLAN NAME  
**PARK PLACE**  
 NPC PLAN NUMBER  
**1957**  
 LAWSON PLAN ID  
 --

SHEET  
 A2  
 B.2

ATTIC VENT SCHEDULE																			
ELEVATION 1																			
ROOF AREA "A"		1566		AT / NEAR RIDGE			AT / NEAR EAVE			ROOF AREA "B"		385		AT / NEAR RIDGE			AT / NEAR EAVE		
VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POT LARGE (SQ. IN EACH)	POT SMALL (SQ. IN EACH)	RIDGE VENT (SQ. IN REQ'D)	EAVE VENT (SQ. IN EACH)	CONT. VENT (SQ. IN REQ'D)	VENT TYPE	SQ. FT. REQUIRED RANGE	SQ. FT. SUPPLIED	PERCENT OF TOTAL SUPPLIED	POT LARGE (SQ. IN EACH)	POT SMALL (SQ. IN EACH)	RIDGE VENT (SQ. IN REQ'D)	EAVE VENT (SQ. IN EACH)	CONT. VENT (SQ. IN REQ'D)		
HIGH - POT VENTS ONLY	2.09 - 2.81	2.54	47.78	6	0	18.00	28.00	10.00	HIGH - POT VENTS ONLY	0.51 - 0.64	0.85	48.41	2	0					
AT EAVE	3.13 - 2.61	2.78	52.22				0	40.00	AT EAVE	0.77 - 0.64	0.90	51.59				0	13.00		
TOTAL (MIN)	5.22 - 5.22	5.32	100.00						TOTAL (MIN)	1.28 - 1.28	1.75	100.00							
HIGH - RIDGE VENT	2.09 - 2.61	2.50	47.37	0	0	20.00			HIGH - RIDGE VENT	0.51 - 0.64	0.63	47.37	0	0	5.00				
AT EAVE	3.13 - 2.61	2.78	52.63				0	40.00	AT EAVE	0.77 - 0.64	0.69	52.63				0	10.00		
TOTAL (MIN)	5.22 - 5.22	5.28	100.00	ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT RIDGE AVAILABLE					TOTAL (MIN)	1.28 - 1.28	1.32	100.00	ADDITIONAL POT VENTS MAY BE REQUIRED IF THERE IS INSUFFICIENT RIDGE AVAILABLE						




**SIDE AND REAR WINDOW TRIM PER COMMUNITY SPECS**  
SCALE: 1/4" = 1'-0"


**ROOF PLAN**  
SCALE: 1/8" = 1'-0"



**FRONT ELEVATION**  
SCALE: 1/4" = 1'-0"



**RIGHT ELEVATION**  
SCALE: 1/8" = 1'-0"



**REAR ELEVATION**  
SCALE: 1/8" = 1'-0"

**LEFT ELEVATION**  
SCALE: 1/8" = 1'-0"

Pulte Central Zone  
1901 North Roselle Road, Suite 1000  
Schaumburg, Illinois 60195



Elevation 1 - Basement  
2 Car Front Entry  
Front, Side and Rear Elevations, Roof Plan and Ventilation Schedule

PRODUCTION MANAGER  
Andy Kunz  
INITIAL RELEASE DATE:  
09/30/2014  
CURRENT RELEASE DATE:  
09/30/2014

REV #	DATE	DESCRIPTION

GARAGE HANDING  
**LEFT**

PLAN NAME  
**PARK PLACE**  
NPC PLAN NUMBER  
**1957**  
LAWSON PLAN ID

SHEET  
**A3-1-MO1**  
2FB4.1

PLOTTED: January 30, 2015 / SouthernDesigns / 1957-PARK PLACE-WD-WD1-EL01.DWG

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS

(c) Copyright Pulte Home Corporation - 2015



### SCHEDULE of AREAS

<b>BASE HOUSE - HEATED</b>	
FIRST FLOOR	1299
SECOND FLOOR	1457
<b>TOTAL BASE HEATED</b>	<b>2756</b>
<b>BASE HOUSE - UNDER ROOF</b>	
GARAGE - 2 CAR FRONT ENTRY	431
HOUSE SLAB	1299
<b>TOTAL BASE UNDER ROOF</b>	<b>1730</b>
<b>BASE OPTIONS - HEATED</b>	
SUNROOM	128
MODERN FIREPLACE	18
<b>FINISHED BASEMENT OPTIONS</b>	
FINISHED BASEMENT	843
PARTIAL FINISHED BASEMENT	843
PARTIAL CRAWL	227
MECH. / STOR. W/ FINISHED BASEMENT	358
MECH. / STOR. W/ PART. FINISHED BASEMENT	121
FINISHED BASEMENT BEDROOM 7	174
FINISHED BASEMENT BATH 7	51
ADDITIONAL AREA W/ SUNROOM	128
<b>BASE OPTIONS</b>	
BASEMENT	1200
PARTIAL BASEMENT	965
PARTIAL CRAWL	227
GARAGE CRAWL	388
BASEMENT / SUNROOM	128
CRAWL / SUNROOM	128
SLAB / SUNROOM	128
COVERED PORCH	128
COVERED PORCH W/ FIREPLACE	128
WOOD DECK	128
WOOD DECK W/ SUNROOM	160
CONCRETE PATIO	128
CONCRETE PATIO W/ SUNROOM	160
3 CAR FRONT GARAGE	200


### LIGHT & VENT SCHEDULE

ROOM NAME	AREA	REQUIRED		SUPPLIED	
		LIGHT	VENT	LIGHT	VENT
BEDROOM 3	134.39	10.75	5.38	18.90	7.60
BEDROOM 4	156.62	12.53	6.26	13.30	5.60


\*\* REFER TO LIGHT & VENT SCHEDULE ON COVER SHEET FOR INFORMATION NOT SHOWN HERE.

### ELEVATION 1

ADDITIONAL 1ST FLOOR - HEATED	0
TOTAL 1ST FLOOR	1299
ADDITIONAL 2ND FLOOR - HEATED	0
TOTAL 2ND FLOOR	1457
<b>TOTAL ELEV. HEATED</b>	<b>2756</b>
ADDITIONAL GARAGE - 2 CAR FRONT	0
TOTAL GARAGE	431
ADDITIONAL HOUSE SLAB	0
TOTAL HOUSE SLAB	1299
FRONT PORCH	93
<b>TOTAL ELEV. FOOTPRINT</b>	<b>1823</b>



**SECOND FLOOR PLAN**  
 SCALE: 1/4" = 1'-0"  
 NOTE: SEE BASE PLANS FOR INFORMATION NOT SHOWN



**FIRST FLOOR PLAN**  
 SCALE: 1/4" = 1'-0"  
 NOTE: SEE BASE PLANS FOR INFORMATION NOT SHOWN

**Pulte Central Zone**  
 1901 North Roselle Road, Suite 1000  
 Schaumburg, Illinois 60195



**Elevation 1**  
 2 Car Front Entry  
 Partial Floor and Utility Plans

PRODUCTION MANAGER  
 Andy Kuntz  
 INITIAL RELEASE DATE:  
 09/30/2014  
 CURRENT RELEASE DATE:  
 09/30/2014


REV #	DATE	DESCRIPTION

GARAGE HANDING  
**LEFT**

PLAN NAME  
**PARK PLACE**  
 NPC PLAN NUMBER  
**1957**  
 LAWSON PLAN ID

SHEET  
**A3-1-MO1**  
**2FB4.3**





**BASEMENT FOUNDATION PLAN**  
 SCALE: 1/4" = 1'-0"  
 NOTE: SEE BASE PLANS FOR INFORMATION NOT SHOWN

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS

REV #	DATE / DESCRIPTION
△	
△	
△	
△	
△	
△	
△	
△	
△	

GARAGE HANDING  
**LEFT**

PLAN NAME  
**PARK PLACE**  
 NPC PLAN NUMBER  
**1957**  
 LAWSON PLAN ID  
 --

SHEET  
**A3-2-MO1**  
**2FB4.2**


**Elevation 2 - Basement**  
**2 Car Front Entry**  
**Partial Foundation Plan**



**Pulte Central Zone**  
 1901 North Roselle Road, Suite 1000  
 Schaumburg, Illinois 60195







**BASEMENT FOUNDATION PLAN**  
 SCALE: 1/4" = 1'-0"  
 NOTE: SEE BASE PLANS FOR INFORMATION NOT SHOWN

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS

PRODUCTION MANAGER	Andy Kuntz
INITIAL RELEASE DATE:	09/30/2014
CURRENT RELEASE DATE:	09/30/2014

REV #	DATE / DESCRIPTION
△	
△	
△	
△	
△	
△	
△	
△	
△	
△	

GARAGE HANDING  
**LEFT**

PLAN NAME  
**PARK PLACE**  
 NPC PLAN NUMBER  
**1957**  
 LAWSON PLAN ID  
 --

SHEET  
**A3-4-MO1**  
**2FB4.2**

**Elevation 4 - Basement**  
**2 Car Front Entry**  
**Partial Foundation Plan**



**Pulte Central Zone**  
 1901 North Roselle Road, Suite 1000  
 Schaumburg, Illinois 60195









SCHEDULE of AREAS	
<b>BASE HOUSE - HEATED</b>	
FIRST FLOOR	1299
SECOND FLOOR	1457
<b>TOTAL BASE HEATED</b>	<b>2756</b>
<b>BASE HOUSE - UNDER ROOF</b>	
GARAGE - 2 CAR FRONT ENTRY	431
HOUSE SLAB	1299
<b>TOTAL BASE UNDER ROOF</b>	<b>1730</b>
<b>BASE OPTIONS - HEATED</b>	
SUNROOM	128
MODERN FIREPLACE	18
<b>FINISHED BASEMENT OPTIONS</b>	
FINISHED BASEMENT	843
PARTIAL FINISHED BASEMENT	843
PARTIAL CRAWL	227
MECH. / STOR. W/ FINISHED BASEMENT	358
MECH. / STOR. W/ PART. FINISHED BASEMENT	121
FINISHED BASEMENT BEDROOM 7	174
FINISHED BASEMENT BATH 7	51
ADDITIONAL AREA W/ SUNROOM	128
<b>BASE OPTIONS</b>	
BASEMENT	1200
PARTIAL BASEMENT	965
PARTIAL CRAWL	227
GARAGE CRAWL	388
BASEMENT / SUNROOM	128
CRAWL / SUNROOM	128
SLAB / SUNROOM	128
COVERED PORCH	128
COVERED PORCH W/ FIREPLACE	128
WOOD DECK	128
WOOD DECK W/ SUNROOM	160
CONCRETE PATIO	128
CONCRETE PATIO W/ SUNROOM	160
3 CAR FRONT GARAGE	200

LIGHT & VENT SCHEDULE					
ROOM NAME	AREA	REQUIRED		SUPPLIED	
		LIGHT	VENT	LIGHT	VENT
BEDROOM 3	134.39	10.75	5.38	31.90	13.80
BEDROOM 4	156.62	12.53	6.26	23.40	10.00

\*\* REFER TO LIGHT & VENT SCHEDULE ON COVER SHEET FOR INFORMATION NOT SHOWN HERE.



**Pulte Central Zone**  
 1901 North Roselle Road, Suite 1000  
 Schaumburg, Illinois 60195



**Elevation 5**  
 2 Car Front Entry  
 Partial Floor and Utility Plans

PRODUCTION MANAGER  
 Andy Kuntz  
 INITIAL RELEASE DATE:  
 09/30/2014  
 CURRENT RELEASE DATE:  
 09/30/2014

REV #	DATE	DESCRIPTION


GARAGE HANDING  
**LEFT**

PLAN NAME  
**PARK PLACE**  
 NPC PLAN NUMBER  
**1957**  
 LAWSON PLAN ID  
 --

SHEET  
**A3-5-MO1**  
**2FB4.3**

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS





NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS

REV #	DATE	DESCRIPTION
△		
△		
△		
△		
△		
△		
△		
△		
△		
△		

GARAGE HANDING  
**LEFT**

PLAN NAME  
**PARK PLACE**  
 NPC PLAN NUMBER  
**1957**  
 LAWSON PLAN ID  
 --

SHEET  
**A3-6-MO1**  
**2FB4.2**

Elevation 6 - Basement  
 2 Car Front Entry  
 Partial Foundation Plan




**Pulte Central Zone**  
 1901 North Roselle Road, Suite 1000  
 Schaumburg, Illinois 60195

SCHEDULE of AREAS	
<b>BASE HOUSE - HEATED</b>	
FIRST FLOOR	1299
SECOND FLOOR	1457
<b>TOTAL BASE HEATED</b>	<b>2756</b>
<b>BASE HOUSE - UNDER ROOF</b>	
GARAGE - 2 CAR FRONT ENTRY	431
HOUSE SLAB	1299
<b>TOTAL BASE UNDER ROOF</b>	<b>1730</b>
<b>BASE OPTIONS - HEATED</b>	
SUNROOM	128
MODERN FIREPLACE	18
<b>FINISHED BASEMENT OPTIONS</b>	
FINISHED BASEMENT	843
PARTIAL FINISHED BASEMENT	843
PARTIAL CRAWL	227
MECH. / STOR. W/ FINISHED BASEMENT	358
MECH. / STOR. W/ PART. FINISHED BASEMENT	121
FINISHED BASEMENT BEDROOM 7	174
FINISHED BASEMENT BATH 7	51
ADDITIONAL AREA W/ SUNROOM	128
<b>BASE OPTIONS</b>	
BASEMENT	1200
PARTIAL BASEMENT	965
PARTIAL CRAWL	227
GARAGE CRAWL	388
BASEMENT / SUNROOM	128
CRAWL / SUNROOM	128
SLAB / SUNROOM	128
COVERED PORCH	128
COVERED PORCH W/ FIREPLACE	128
WOOD DECK	128
WOOD DECK W/ SUNROOM	160
CONCRETE PATIO	128
CONCRETE PATIO W/ SUNROOM	160
3 CAR FRONT GARAGE	200


LIGHT & VENT SCHEDULE					
ROOM NAME	AREA	REQUIRED		SUPPLIED	
		LIGHT	VENT	LIGHT	VENT
BEDROOM 3	134.39	10.75	5.38	28.70	11.80
BEDROOM 4	156.62	12.53	6.26	13.30	5.60

\*\* REFER TO LIGHT & VENT SCHEDULE ON COVER SHEET FOR INFORMATION NOT SHOWN HERE.



**SECOND FLOOR PLAN**

SCALE: 1/4" = 1'-0"  
NOTE: SEE BASE PLANS FOR INFORMATION NOT SHOWN



**FIRST FLOOR PLAN**

SCALE: 1/4" = 1'-0"  
NOTE: SEE BASE PLANS FOR INFORMATION NOT SHOWN

**Pulte Central Zone**  
1901 North Roselle Road, Suite 1000  
Schaumburg, Illinois 60195



**Elevation 6**  
2 Car Front Entry  
Partial Floor and Utility Plans

PRODUCTION MANAGER  
Andy Kuntz  
INITIAL RELEASE DATE:  
09/30/2014  
CURRENT RELEASE DATE:  
09/30/2014

REV #	DATE	DESCRIPTION

GARAGE HANDING  
**LEFT**


PLAN NAME  
**PARK PLACE**  
NPC PLAN NUMBER  
**1957**  
LAWSON PLAN ID  
--

SHEET  
**A3-6-MO1**


**2FB4.3**




**REAR ELEV - OUTDOOR FIREPLACE**  
SCALE: 1/8" = 1'-0"




**LEFT ELEV - OUTDOOR FIREPLACE**  
SCALE: 1/8" = 1'-0"



**FIRST FLOOR PLAN - COVERED PORCH w/ FIREPLACE - 4" WALLS**  
SCALE: 1/4" = 1'-0"  
\* SEE BASE FLOOR PLANS FOR INFORMATION NOT SHOWN ON THESE PLANS



**IN-GRADE FOUNDATION PLAN w/ MASONRY - COVERED PORCH w/ FIREPLACE**  
SCALE: 1/4" = 1'-0"  
\* SEE BASE FLOOR PLANS FOR INFORMATION NOT SHOWN ON THESE PLANS



**IN-GRADE FOUNDATION PLAN - COVERED PORCH w/ FIREPLACE**  
SCALE: 1/4" = 1'-0"  
\* SEE BASE FLOOR PLANS FOR INFORMATION NOT SHOWN ON THESE PLANS



Covered Porch w/ Fireplace - 4" Walls  
Floor, Foundation, Utility Plans and Elevations  
In-Grade Foundation


PRODUCTION MANAGER	Andy Kunz
INITIAL RELEASE DATE:	09/30/2014
CURRENT RELEASE DATE:	09/30/2014

REV #	DATE	DESCRIPTION

GARAGE HANDING  
**LEFT**


PLAN NAME  
**PARK PLACE**  
NPC PLAN NUMBER  
**1957**  
LAWSON PLAN ID

SHEET  
**A4**  
**CPF41.1**




**IN-GRADE FOUNDATION PLAN - MODERN FIREPLACE**

SCALE: 1/4" = 1'-0"  
 \* SEE BASE FLOOR PLANS FOR INFORMATION NOT SHOWN ON THESE PLANS




**IN-GRADE FOUNDATION PLAN w/ MASONRY - MODERN FIREPLACE**

SCALE: 1/4" = 1'-0"  
 \* SEE BASE FLOOR PLANS FOR INFORMATION NOT SHOWN ON THESE PLANS




**FIRST FLOOR PLAN - MODERN FIREPLACE OPTION - 4" WALLS**

SCALE: 1/4" = 1'-0"  
 \* SEE BASE PLANS FOR INFORMATION NOT SHOWN




**ROOF PLAN - MODERN FIREPLACE**

SCALE: 1/8" = 1'-0"



**LEFT ELEV - MODERN FIREPLACE**

SCALE: 1/8" = 1'-0"  
 \* SEE BASE FLOOR PLANS FOR INFORMATION NOT SHOWN ON THESE PLANS



**REAR ELEVATION - MODERN FIREPLACE**

SCALE: 1/8" = 1'-0"

PRODUCTION MANAGER Andy Kunz	
INITIAL RELEASE DATE: 09/30/2014	
CURRENT RELEASE DATE: 09/30/2014	
REV #	DATE / DESCRIPTION
△	
△	
△	
△	
△	
△	
△	
△	
△	
△	
GARAGE HANDING <b>LEFT</b>	
PLAN NAME <b>PARK PLACE</b>	
NPC PLAN NUMBER <b>1957</b>	
LAWSON PLAN ID --	
SHEET <b>A4</b>	
<b>MF41.1</b>	

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS




















**FIREPLACE OPTION**

SCALE: 1/4" = 1'-0"  
 \* DIMENSIONS TO FIXTURES INDICATE PLACEMENT INTENT ONLY, ADJUST IN FIELD AS NECESSARY




**KITCHEN w/ BUILT-IN APPLIANCES OPTION**

SCALE: 1/4" = 1'-0"  
 \* DIMENSIONS TO FIXTURES INDICATE PLACEMENT INTENT ONLY, ADJUST IN FIELD AS NECESSARY



**STAIRS w/ BASEMENT OPTION**

SCALE: 1/4" = 1'-0"  
 \* DIMENSIONS TO FIXTURES INDICATE PLACEMENT INTENT ONLY, ADJUST IN FIELD AS NECESSARY



**BATH 6 OPTION w/ BEDROOM 6 OPTION**

SCALE: 1/4" = 1'-0"  
 \* DIMENSIONS TO FIXTURES INDICATE PLACEMENT INTENT ONLY, ADJUST IN FIELD AS NECESSARY

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS


PRODUCTION MANAGER  
 Andy Kuntz  
 INITIAL RELEASE DATE:  
 09/30/2014  
 CURRENT RELEASE DATE:  
 09/30/2014

REV #	DATE	DESCRIPTION
△		
△		
△		
△		
△		
△		
△		
△		
△		
△		

GARAGE HANDING  
**LEFT**


PLAN NAME  
**PARK PLACE**  
 NPC PLAN NUMBER  
**1957**  
 LAWSON PLAN ID  
 -

SHEET  
**U1**  
 4-1.20




**FIREPLACE OPTION**

SCALE: 1/4" = 1'-0"  
 \* DIMENSIONS TO FIXTURES INDICATE PLACEMENT INTENT ONLY, ADJUST IN FIELD AS NECESSARY




**KITCHEN w/ BUILT-IN APPLIANCES OPTION**

SCALE: 1/4" = 1'-0"  
 \* DIMENSIONS TO FIXTURES INDICATE PLACEMENT INTENT ONLY, ADJUST IN FIELD AS NECESSARY



**STAIRS w/ BASEMENT OPTION**

SCALE: 1/4" = 1'-0"  
 \* DIMENSIONS TO FIXTURES INDICATE PLACEMENT INTENT ONLY, ADJUST IN FIELD AS NECESSARY



**BATH 6 OPTION w/ BEDROOM 6 OPTION**

SCALE: 1/4" = 1'-0"  
 \* DIMENSIONS TO FIXTURES INDICATE PLACEMENT INTENT ONLY, ADJUST IN FIELD AS NECESSARY

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS

PRODUCTION MANAGER	Andy Kunz
INITIAL RELEASE DATE:	09/30/2014
CURRENT RELEASE DATE:	09/30/2014

REV #	DATE	DESCRIPTION
△		
△		
△		
△		
△		
△		
△		
△		
△		
△		


GARAGE HANDING  
**LEFT**

PLAN NAME  
**PARK PLACE**  
 NPC PLAN NUMBER  
**1957**  
 LAWSON PLAN ID  
 --

SHEET  
 U1  
 4-1.21









**OWNER'S BATH 1 OPTION**

SCALE: 1/4" = 1'-0"  
 \* DIMENSIONS TO FIXTURES INDICATE PLACEMENT INTENT ONLY, ADJUST IN FIELD AS NECESSARY




**OWNER'S BATH 2 OPTION**

SCALE: 1/4" = 1'-0"  
 \* DIMENSIONS TO FIXTURES INDICATE PLACEMENT INTENT ONLY, ADJUST IN FIELD AS NECESSARY




**OWNER'S BATH 3 OPTION**

SCALE: 1/4" = 1'-0"  
 \* DIMENSIONS TO FIXTURES INDICATE PLACEMENT INTENT ONLY, ADJUST IN FIELD AS NECESSARY




**OWNER'S BATH 4 OPTION**

SCALE: 1/4" = 1'-0"  
 \* DIMENSIONS TO FIXTURES INDICATE PLACEMENT INTENT ONLY, ADJUST IN FIELD AS NECESSARY




**OWNER'S BATH 5 OPTION**

SCALE: 1/4" = 1'-0"  
 \* DIMENSIONS TO FIXTURES INDICATE PLACEMENT INTENT ONLY, ADJUST IN FIELD AS NECESSARY




**BEDROOM 5 w/ BATH 3 OPTION**

SCALE: 1/4" = 1'-0"  
 \* DIMENSIONS TO FIXTURES INDICATE PLACEMENT INTENT ONLY, ADJUST IN FIELD AS NECESSARY



**BATH 3 w/ SHOWER OPTION**

SCALE: 1/4" = 1'-0"  
 \* DIMENSIONS TO FIXTURES INDICATE PLACEMENT INTENT ONLY, ADJUST IN FIELD AS NECESSARY



**BATH 2 w/ SHOWERP OPTION**

SCALE: 1/4" = 1'-0"  
 \* DIMENSIONS TO FIXTURES INDICATE PLACEMENT INTENT ONLY, ADJUST IN FIELD AS NECESSARY



**STORAGE w/ BASEMENT OPTION**

SCALE: 1/4" = 1'-0"  
 \* SEE BASE PLANS FOR INFORMATION NOT SHOWN


REV #	DATE	DESCRIPTION
△		
△		
△		
△		
△		
△		
△		
△		
△		
△		

GARAGE HANDING  
**LEFT**

PLAN NAME  
**PARK PLACE**  
 NPC PLAN NUMBER  
**1957**  
 LAWSON PLAN ID


SHEET  
**U1**  
 4-2.20

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS




**BEDROOM 5 w/ BATH 3 OPTION**

SCALE: 1/4" = 1'-0"  
 \* DIMENSIONS TO FIXTURES INDICATE PLACEMENT INTENT ONLY, ADJUST IN FIELD AS NECESSARY



**BATH 3 w/ SHOWER OPTION**

SCALE: 1/4" = 1'-0"  
 \* DIMENSIONS TO FIXTURES INDICATE PLACEMENT INTENT ONLY, ADJUST IN FIELD AS NECESSARY



**BATH 2 w/ SHOWER OPTION**

SCALE: 1/4" = 1'-0"  
 \* DIMENSIONS TO FIXTURES INDICATE PLACEMENT INTENT ONLY, ADJUST IN FIELD AS NECESSARY


REV #	DATE	DESCRIPTION
△		
△		
△		
△		
△		
△		
△		
△		
△		
△		

GARAGE HANDING  
**LEFT**


PLAN NAME  
**PARK PLACE**  
 NPC PLAN NUMBER  
**1957**  
 LAWSON PLAN ID

SHEET  
**U1**  
**4-2.21**

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 1/4" SHEETS REPRESENT 1/2" SCALE PLOTS



COLD WATER PIPING  
HOT WATER PIPING  
**WATER SUPPLY RISER DIAGRAM**  
SCALE: NTS



VENT PIPING  
WASTE PIPING  
**WASTE AND VENT RISER DIAGRAM**  
SCALE: NTS

Pulte Central Zone  
1901 North Roselle Road, Suite 1000  
Schaumburg, Illinois 60195



Plumbing Riser Diagrams

PRODUCTION MANAGER  
Andy Kuntz  
INITIAL RELEASE DATE:  
09/30/2014  
CURRENT RELEASE DATE:  
09/30/2014

REV #	DATE	DESCRIPTION
△		
△		
△		
△		
△		
△		
△		
△		
△		
△		

GARAGE HANDING  
**LEFT**

PLAN NAME  
**PARK PLACE**  
NPC PLAN NUMBER  
**1957**  
LAWSON PLAN ID

SHEET  
**U2**  
**1.1**

NOTE: SCALES NOTED ON DRAWINGS RELATE TO FULL SIZE PLOTS ON 22x34 SHEETS - 11x17 SHEETS REPRESENT 1/2 SCALE PLOTS